

## Hilink AutoRun tool manuell installieren



Support OS :

MAC 10.7.x, Mac 10.8.x, Mac 10.9.x, Mac 10.10.x & MAC 10.11.x

1. Plug the LIDL Connect Internet stick into the USB slot of your MAC PC.




2. Installation of the software

Save the below zip file on your MAC PC.







HiLink.zip



3. Unzip the folder of Hilink AutoRun tool, it will like below.



4. Double-click the icon of Hilink, it will install by silent. You can check it install successful or not like below.







```
ArConfig.dat — 已锁定 v
[INSTALL]
app_install_path=MobileBrServ
setup_name=mbbServiceSetup.exe
runservice_name=mbbservice.exe
service_name=Mobile Broadband HL Service
service_desc=Mobile Broadband HL Service
service_descDetail=Provide service for mobile broadband device.
service=yes

[PRODUCT_VERSION]
value=22.001.27.00.03

[PRODUCT_ID]
pid=14db,1f01;14dc,1f01;14dd,1f01;14db,157d;14dc,157d;14dd,157d;14db,1f02;14dc,
1f02;14dd,1f02;14db,158b;14dc,158b;14dd,158b;14d7,1f01;14d8,1f01;14d9,1f01;14de,
1f01;14df,1f01;14d7,1f02;14d8,1f02;14d9,1f02;14de,1f02;14df,1f02;14d7,157d;14d8,157d;
14d9,157d;14de,157d;14df,157d;14d7,158b;14d8,158b;14d9,158b;14de,158b;14df,158b

[FILTER_MBIM_ID]
mbim=157d,158b

[APP_PATH]
path=/Library/StartupItems/MobileBrServ

[VOLUMES]
name=HiLink
proname=mbbservice
disable_cdrom=false

[SYSTEM]
```

If the version is change to 22.001.27.00.03, it means Hilink AutoRun tool install successful.